

		© Karbo C 2 0 3 1 0 +27 2 1 982 0 4 1 3 (Fax) +27 86 676 8098 RHODI	san son
		Sealants-Silicone-Solvents-Lubricants-Sanitiser- 01-7-2020)
CODE	IMAGE	ACRYLIC SEALANT	QT
		Acrylic sealant is a sealing material, mainly obtained from water-based acrylic resins.	
		It is not suitable for use in locations subject to direct water exposure. As it is a paintable	
	PAINTABLE ACRYLIC	material, acrylic sealant is an ideal material for interior and exterior decoration.	+
SIL001		260MI WHITE ACRYLIC 0000	25
SIL001	ACRYLIC BEES	260ML WHITE ACRYLIC 9000 280ML WHITE ACRYLIC 900	25
312003	23.0	200WE WHITE ACKIERS 500	+
CODE	IMAGE	ACETOXY SILICONE SEALANT	QT
		Sealing gaps around baths, showers, windows, worktops Fixing mirrors or glass to tiled	
		surfaces Sealing gutters and downpipes Repairing rubber trim on cars	
		Glueing aquariums together. Moulding into soft rubber goods of most shapes	
			+
CHOOL	DI SÖSSES	2COMUCIFAD ACETOVY 1000	-
SIL005 SIL007	SILKOME GP	260ML CLEAR ACETOXY 1000 280ML CLEAR ACETOXY 100	25
SILUU/		260IVIL CLEAR ACETOXY 100	- 25
SIL009	2 SILICONE	260ML WHITE ACETOXY 1000	25
SIL011		280ML WHITE ACETOXY 100	25
	Name of the last o		
SIL013	SITICONE CE	260ML BLACK ACETOXY 1000	2!
SIL015	88	280ML BLACK ACETOXY 100	25
	3NOSITIS		_
SIL017		260ML GREY ACETOXY 1000	2.
SIL019		280ML GREY ACETOXY 100	2.
SILO21	SILICONE OF	260ML BRONZE ACETOXY 1000	2.
SIL021 SIL022	000	280ML BRONZE ACETOXY 100	2:
512022	ano)IIIS	ZOOME BRONEL NOLLOW 100	+
CODE	IMAGE	CORNICE AND SKIRTING ADHESIVE	Q1
		Cornice Adhesive is a flexible, qap-filling acrylic sealant formulated for door frames, window	\top
		frames ceilings, skirting boards, decorative plaster pieces, plasterboard,	
		and all polystyrene mouldings.	
	CONNICT ADMESTIVE		
SIL800	88	310ML SILTECH 800 WHITE CORNICE ADHESIVE SEALANT	2.
		LITEDE	
		<u>LITERS</u>	
AC0055	2	2LT SILTECH 800 CORNICE ADHESIVE	1
AC0035	800	5LT SILTECH 800 CORNICE ADHESIVE	1
	Common I		+
			\neg

	IMAGE	CORNICE AND SKIRTING ADHESIVE	QTY
		<u>LITERS</u>	
AC0030		1KG SILTECH 800 CORNICE ADHESIVE	1
AC0061	900 B	2KG SILTECH 800 CORNICE ADHESIVE	1
AC0062	STANSANIES .	5KG SILTECH 800 CORNICE ADHESIVE	1
AC0063		10KG SILTECH 800 CORNICE ADHESIVE	1
CODE	IMAGE	UNIVERSAL HYBRID SEALANTS (STICK LIKE S!!!)	QTY
		was developed as glue for strong bonding in the construction, metal,	T
	-	automotive and plant engineering industries.	
	1		
SIL043	NO NAILS	280ML SILTECH 60 KWIK-STICK GREY CONSTR. ADHESIVE(25/BOX)	25
SIL045		280ML SILTECH 60 KWIK-STICK WHITE CONSTR. ADHESIVE(25/BOX)	25
	1	` ' '	
CODE	IMAGE	NEUTRAL CURE SEALANT	QTY
		Perimeter and Curtain wall jointing; Metal uPVC, Glass reinforced polyester, and asbestos	
		cement cladding Cap beading, standard and butt glazing, Perimeter sealing to treated	
	1	wood, metal, uPVC and coated frames General assembling and sealing applications,	
	800	Bathrooms, kitchen and other sanitary applications	
SIL033		280ML CLEAR NEUTRAL CURE 600NX	25
SIL035		280ML WHITE NEUTRAL CURE 600NX	25
SIL037		280ML BLACK NEUTRAL CURE 600NX	25
SIL039	S UNIVERSE	280ML GREY NEUTRAL CURE 600NX	25
SIL041	SILICON LEALANT	280ML BRONZE NEUTRAL CURE 600NX	25
CODE	IMAGE	POLYURETHANE SEALANT	QTY
		SILTECH PU20 SEALANT SAUSAGES (Vertical Joints)	
	1	cures to a paintable, weather and water resistant, non correosive, permanent elasticity	
		sealant without affecting its volume.	
]	sealant without affecting its volume.	
PE0040]	sealant without affecting its volume. 600ML SILTECH PU20 SHORE WHITE	20
PE0040 PE0041			20 20
		600ML SILTECH PU20 SHORE WHITE	
PE0041	-	600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY	20
PE0041	- ************************************	600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK	20
PE0041		600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY	20
PE0041	-	600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK	20
PE0041		600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK SILTECH PU40 SEALANT SAUSAGES (Horizontal Joints)	20
PE0041 PE0042		600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK SILTECH PU40 SEALANT SAUSAGES (Horizontal Joints) cures to a paintable, weather and water resistant, non correcsive, permanent elasticity sealant without affecting its volume.	20 20
PE0041 PE0042 PU0100		600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK SILTECH PU40 SEALANT SAUSAGES (Horizontal Joints) cures to a paintable, weather and water resistant, non correosive, permanent elasticity sealant without affecting its volume. 600ML SILTECH PU40 SHORE WHITE	20 20 20 20
PE0041 PE0042 PU0100 PU0101		600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK SILTECH PU40 SEALANT SAUSAGES (Horizontal Joints) cures to a paintable, weather and water resistant, non correcsive, permanent elasticity sealant without affecting its volume. 600ML SILTECH PU40 SHORE WHITE 600ML SILTECH PU40 SHORE GREY	20 20 20 20 20
PE0041 PE0042 PU0100		600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK SILTECH PU40 SEALANT SAUSAGES (Horizontal Joints) cures to a paintable, weather and water resistant, non correosive, permanent elasticity sealant without affecting its volume. 600ML SILTECH PU40 SHORE WHITE	20 20 20 20
PE0041 PE0042 PU0100 PU0101		600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK SILTECH PU40 SEALANT SAUSAGES (Horizontal Joints) cures to a paintable, weather and water resistant, non correcsive, permanent elasticity sealant without affecting its volume. 600ML SILTECH PU40 SHORE WHITE 600ML SILTECH PU40 SHORE GREY	20 20 20 20 20
PE0041 PE0042 PU0100 PU0101		600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK SILTECH PU40 SEALANT SAUSAGES (Horizontal Joints) cures to a paintable, weather and water resistant, non correcsive, permanent elasticity sealant without affecting its volume. 600ML SILTECH PU40 SHORE WHITE 600ML SILTECH PU40 SHORE GREY 600ML SILTECH PU40 SHORE BLACK	20 20 20 20 20
PE0041 PE0042 PU0100 PU0101		600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK SILTECH PU40 SEALANT SAUSAGES (Horizontal Joints) cures to a paintable, weather and water resistant, non correosive, permanent elasticity sealant without affecting its volume. 600ML SILTECH PU40 SHORE WHITE 600ML SILTECH PU40 SHORE GREY 600ML SILTECH PU40 SHORE BLACK TEROSON PU WINDSCREEN	20 20 20 20 20
PE0041 PE0042 PU0100 PU0101	TROSON TROSON	600ML SILTECH PU20 SHORE WHITE 600ML SILTECH PU20 SHORE GREY 600ML SILTECH PU20 SHORE BLACK SILTECH PU40 SEALANT SAUSAGES (Horizontal Joints) cures to a paintable, weather and water resistant, non correosive, permanent elasticity sealant without affecting its volume. 600ML SILTECH PU40 SHORE WHITE 600ML SILTECH PU40 SHORE GREY 600ML SILTECH PU40 SHORE BLACK TEROSON PU WINDSCREEN PU 8592is highly recommended for the bonding and sealing of the windscreen	20 20 20 20 20

CODE	IMAGE	SUPRASIL SILICONE SPAY RELEASE LUBRICANT	QTY
		SUPRA-SIL Silicone Spray is used in the processing of plastics/rubber. Anti-spatter	
	†	welding spray, Upholstery application, Glazing industry, Dash/tyre shine, General lubrication	
	SUP SUCCESSION SUCCESSION SUCCESS		
DY0001	EAS PLACE OF THE PASS OF THE SEP PASS OF THE SEP PASS OF THE PASS	400ML SUPRASIL SILICONE SPRAY (12/BOX)	12
	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
CODE	IMAGE	SILICONE GUNS	QTY
			Т
580 CBS001		Blue Tinplated Gun	1
580 CBT001		Caulking Sausage Silicone Gun	1
CODE	IMAGE	THINNERS	QTY
		<u>LACQUER</u>	
		Lacquer Thinner is a high-solvency, medium drying thinner for lacquer. Excellent for cleaning	
		brushes and equipment immediately after use. It also effectively cleans spray equipment.	
THI750MLS		Lacquer Thinners 750ml	1
THI1LS		Lacquer Thinners 1L	1
THI5LS		Lacquer Thinners 5L	1
THI25LS		Lacquer Thinners 25L	1
	POWREDX*		
		<u>2К</u>	
		2k thinners is pure thinners designed to work with your paint system.	
		Try to stick with the full paint system from primer to paint	
11 0004		2K Thinners 750ml	1
11 0005	1	2K Thinners 5L	1
11 0007	_	2K Thinners 25L	1
	_		
	_	<u>CLEANING</u>	
	1	This highly active solvent blend is specifically formulated to provide very effective	
	_	general purpose cleaning and degreasing properties.	
	4		+
11 00016	4	Cleaning Thinners 750ml	1
11 00013		Cleaning Thinners 5L	1
11 00009	TO SHARE	Cleaning Thinners 25L	1
	COLUMN TO THE PARTY OF THE PART	<u>SUPERGLOSS</u>	
	SUPER GLOSS THINNERS STREET AND THE ASSESSMENT OF PARTIES STREET AND	A slow drying solvent to thin alkyd enamels and varnishes, and to clean brushes &	+
	With the state of	painting equipment.Paint thinner for alkyd paints. Cleaning of brushes and paint equipment.	
THISTORMS	The state of the s	Cunavalace Thinnays 750-1	1
THI750MLSG		Supergloss Thinners 750ml	1
THI1LSG THI5LSG	1	Supergloss Thinners 1L Supergloss Thinners 5L	1
THISESG THI25LSG	1	Supergloss Thinners 5L Supergloss Thinners 25L	1
ITIIZOLOU	1	Supergioss Hillillers ZSL	1
	1		+
	1		
	1		
	1		

IMAGE	THINNERS	QTY
O'SINIA .		
MA CELETY	Enamel Thinners 750ml	1
"SUPER GLOSS THINNERS WISHING THE TRUTH THE PRODUCT OF THE TRUTH	Enamel Thinners 1L	1
The second secon	Enamel Thinners 5L	1
For the state of t	Enamel Thinners 25L	1
IMAGE	MINERAL TURPENTINE	QTY
	used to remove waxes and polishes, as it is a great degreasing solvent used in different	
	products such as paints, lacquers, varnishes, and asphalt. It is a great oil degreaser.	
	·	1
	Mineral Turpentine 1L	1
(19)		1
		1
	Mineral Turpentine 200L	1
POWARY: MINERAL TURPENTINE		
9 _		
**************************************	furniture and floor preparations.	+
	Genuine Gum Turnentine 750ml	1
		1
	Gename Gan Parpentine 32	╅
		QTY
IMAGE	PARAFFIN/LAMPOLIE	٧
IMAGE	PARAFFIN/LAMPOLIE <u>Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible</u>	
IMAGE		
IMAGE	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible	
IMAGE	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in	
IMAGE	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in	1
IMAGE	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households.	
IMAGE	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml	1
IMAGE	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L	1 1
IMAGE	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L	1 1 1
IMAGE POWERS* PARAFFIN	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN	1 1 1
	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN is a clear high quality green, low sulphur cleaning agent. Intended for use as a efficient	1 1 1
	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN	1 1 1
	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN is a clear high quality green, low sulphur cleaning agent. Intended for use as a efficient cleaning/degreasing agent in commercial, industrial and domestic applications.	1 1 1 1
	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN is a clear high quality green, low sulphur cleaning agent. Intended for use as a efficient cleaning/degreasing agent in commercial, industrial and domestic applications. Power Paraffin 750ml	1 1 1 1 1 1
	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN is a clear high quality green, low sulphur cleaning agent. Intended for use as a efficient cleaning/degreasing agent in commercial, industrial and domestic applications. Power Paraffin 750ml Power Paraffin 1L	1 1 1 1 1 1 1
	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN is a clear high quality green, low sulphur cleaning agent. Intended for use as a efficient cleaning/degreasing agent in commercial, industrial and domestic applications. Power Paraffin 1L Power Paraffin 1L Power Paraffin 5L	1 1 1 1 1 1 1
	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN is a clear high quality green, low sulphur cleaning agent. Intended for use as a efficient cleaning/degreasing agent in commercial, industrial and domestic applications. Power Paraffin 750ml Power Paraffin 1L	1 1 1 1 1 1 1
	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN is a clear high quality green, low sulphur cleaning agent. Intended for use as a efficient cleaning/degreasing agent in commercial, industrial and domestic applications. Power Paraffin 1L Power Paraffin 1L Power Paraffin 5L	1 1 1 1 1 1 1
	Kerosene, also known as paraffin, lamp oil, and coal oil (an obsolete term), is a combustible hydrocarbon liquid which is derived from petroleum. It is widely used as a fuel in aviation as well as households. Paraffin 750ml Paraffin 1L Paraffin 5L Paraffin 25L POWER PARAFFIN/KRAG PARAFFIN is a clear high quality green, low sulphur cleaning agent. Intended for use as a efficient cleaning/degreasing agent in commercial, industrial and domestic applications. Power Paraffin 1L Power Paraffin 1L Power Paraffin 5L	1 1 1 1 1 1 1
	SUPERIOR CLOSS THINNERS SUPERIOR CLOSS THINNE	ENAMEL Paint thinners are solvents that can dissolve paint and reduce viscosity of paint or "thin" It for use in sprayer applicators or when simply needing a thinner mixture to work with. Enamel Thinners 750ml Enamel Thinners 1L Enamel Thinners 5L Enamel Thinners 25L IMAGE MINERAL TURPENTINE used to remove waxes and polishes, as it is a great degreasing solvent used in different products such as paints, lacquers, varnishes, and asphalt. It is a great all degreaser. Mineral Turpentine 1L Mineral Turpentine 5L Mineral Turpentine 25L Mineral Turpentine 200L SENUINE GUM TURPENTINE is a clear solvent derived from gum trees giving it a fresh pine adour, it is good medium for mixing artists paints and for mixing linseed oil and other ingredients for use in furniture and floor preparations. Genuine Gum Turpentine 750ml Genuine Gum Turpentine 750ml

	IMAGE	METHYLATED SPIRITS	QTY
		(also known as denaturated alcohol) is one of the oldest and most effective detergents	
100		available in almost every household. It is ideal for use as a window cleaner,	
		limescale cleaner or degreaser.	
MET750ML	METHYLATED SPIRITS	Methylated Spirits 750ml	1
MET1L		Methylated Spirits 1L	1
MET5L		Methylated Spirits 5L	1
MET25L		Methylated Spirits 25L	1
CODE	IMAGE	ACETONE	QTY
		is a good solvent for many plastics and some synthetic fibers. It is used for thinning	
900	CONT.	polyester resin, cleaning tools used with it, and dissolving two-part epoxies	
		and superglue before they harden.	
ACE500ML	POWRFIX .	Acetone 750ml	1
ACE1L	ACETONE	Acetone 1L	1
ACE5L		Acetone 5L	1
ACE25L	215	Acetone 25L	1
CODE	IMAGE	BENZINE	QTY
		It is used in adhesives where the drying rate needs to be slower than that of hexane.	
		For domestic andindustrial cleaning, Diluent in thinning paints, lacquers and inks.	
_		Cleaning rubber surface before gluing	
	CONTROL DE		
BEN750ML	BENZINE	Benzine 750ml	1
BEN1L		Benzine 1L	1
BEN5L		Benzine 5L	1
BEN25L		Benzine 25L	1
CODE	IMAGE	XYLENE	QTY
		is primarily used as a solvent (a liquid that can dissolve other substances) in the	
		printing, rubber, and leather industries. Along with other solvents, xylene is also	
		widely used as a cleaning agent, a thinner for paint, and in varnishes.	
	Xylene		
11 7995	Хугено	Xylene 750ml	1
11 7994		Xylene 5L	1
11 7996		Xylene 25L	1
CODE	IMAGE	POOL ACID	QTY
		is used a chemical pool additive to control the pool water's alkalinity to avoid scaling.	
400		The most common liquid acid used to lower the pH is muriatic acid,	+
		also known as hydrochloric acid.	+
			-
POOF		Pool Acid El	
POO5L POO2SI	POOL ACID	Pool Acid 5L	1
POO5L POO25L	POOL AGID	Pool Acid 5L Pool Acid 25L	1
	FOOL ACID		_
	POOLACIO		_

	[David		_
		is in the production of fertilizers, e.g., superphosphate of lime and	
		ammonium sulfate. It is widely used in the manufacture of chemicals, e.g., in	
		making hydrochloric acid, nitric acid, sulfate salts, etc	
	POWRED		
BAT750ML	BATTERY	Battery Acid 750ml	1
BAT1L		Battery Acid 1L	1
BAT5L		Battery Acid 5L	1
CODE	IMAGE	CRACK FILLER	QTY
		ALL PURPOSE INTERIOR/EXTERIOR CRACKFILLER	
	0000	seals and fills cracks & holes in plaster, brick, and concrete, stone & asbestos fibre board.	
	POWRFUX	Fills gaps around door & window frames to replace loose mortar.	
	ALL PURPOSE	<u>Fills and repairs damaged mortar.</u>	
	CRACK FILLER		
CFAP500G		All-purpose Interior / Exterior Crackfiller 500gr	1
CFAP2KG		All-purpose Interior / Exterior Crackfiller 2Kg	1
CFAP10KG	(Ex.)	All-purpose Interior / Exterior Crackfiller 10Kg	1
L		INTERIOR SMOOTH WHITE CRACKFILLER	
<u> </u>	****	Fills in gaps around timber or metal door and window frames and skirting boards. Can be	-
	POWAFIX	applied to the surface of interior cement walls, plaster, gypsum boards	_
	INTERIOR	and fibre cement surfaces.	_
	CRACK FILLER		
CFIP500G		Interior Smooth White Crackfiller 500gr	1
CFIP2KG		Interior Smooth White Crackfiller 2Kg	1
CFIP10KG	TOTAL TOUR	Interior Smooth White Crackfiller 10Kg	1
⊢—-		FIX AND FILL POWERFULL READY MIXED CRACKFILLER	
		Repairs cracks, holes and blemishes in bricks, concrete, plaster, stone and other	
		masonry surfaces adhesion properties makes it suitable for use on timber, ceilings	1
		and fibre cement boardsIs compatible with both water based and	1
		solvent based paints and requires no primer when painting	1
		Jovent based paints and requires no printer when painting	
CFF500ML	FILL 'n FIX	Fill 'n Fix 500ml	1
CFF1L	- safety to the result of the	Fill 'n Fix 1L	1
CFF5L	CRACK FILLER	Fill 'n Fix 5L	1
CODE	IMAGE	PLASTER/SKIMMER	QTY
		POWASKIM READYMIX PLASTER SKIMMER AND FILLER HIGH BUILD	
		Plasters and skims damaged concrete, brick and plaster surfaces.	
		Skims and fills joints, cracks, holes and gaps	
4			
SKM500MLT		Powaskim Highbuild 500ml	1
SKM1LT	POWAFIX	Powaskim Highbuild 1L	1
SKM5LT	POWASKIM - Assessment pours or other - Indicate the second of the seco	Powaskim Highbuild 5L	1
SKM20L	HIGHBUILD O	Powaskim Highbuild 20L	1

CODE	IMAGE	PLASTER/SKIMMER	QTY
		SUPERFINE FOR SMOOTHING PLASTER BLEMISHES	
		Plasters and skims damaged concrete, brick and plaster surfaces. Skims and	
		fills joints, cracks, holes and gaps	
SKMC500ML	POWATA	Powaskim Superfine 500ml	1
SKMC1L	POWASKIM - Author Pera John Control of Market - Market Prince - Market Prince	Powaskim Superfine 1L	1
SKMC5LT	MICHEURLD	Powaskim Superfine 5L	1
SKMC20L		Powaskim Superfine 20L	1
CODE	IMAGE	POWABOND-PLASTERBINDER AND KEYCOAT	QTY
3322	(Fire)	is effective at binding mortars and improving damp resistance, flexibility and plaster	<u> </u>
		key coat adhesion. Binds and strengthens mortars. Provides water and damp resistance	
		ney cout dunesion. Dinas and strengthens mortals. I Torides water and dump resistance	
PBD1L	POWAROND KEYCOAT	Powabond 1L	1
PBD5L		Powabond 5L	1
PBD25L		Powabond 25L	1
1 33232		1 5 1 4 5 5 5 5	+-
CODE	IMAGE	METAL PRIMER - ZINC PHROSPHATE & RUST RESISTANT	QTY
3322		uses zinc phosphate as a key ingredient to inhibit rust and improve corrosion resistance.	
	_	Metal or steel roofs/Metal or steel doors and window frames/General metal structures	
		MELATO SECTIONS/MELATO SECTIONS AND WINDOW PLANES/ GENERAL MELATISS	
CLIMETRPRI1L	POWRED	Red Primer 1L	1
CLIMETPR5L		Red Primer 5L	1
CLIMTRPR1LG	MATAS PRIMER	Grey Primer 1L	1
CLIMETPR5LG		Grey Primer 5L	1
CLIMETPRI1LB		Black Primer 1L	1
CLIMETPRI5LB	Comment C	Black Primer 5L	1
CODE	IMAGE	POWASTRIP PAINT STRIPPER	QTY
		is a fast acting, heavy duty, non-slumping paint remover that removes	
	(E)	multiple layers of paint in one application. Alkyd enamels/Wood varnishes	
	POWRED	/Acrylic PVA paints/Automotive and industrial coatings	
	POWASTRIP		
PAI500ML	MASHES OFF EASILY	Powastrip 500ml	1
PAI1L	(A)	Powastrip 1L	1
PAI5L	HEAVY DUTY	Powastrip 5L	1
CODE	IMAGE	SPIRITS OF SALT - CONCRETE ETCHING ACID	QTY
CODE	IIIIAGE	is a concentrated powerful masonry cleaner and concrete /cement etching acid.	
		Cleans and dissolves cement, tile adhesives, grouts and plaster.	+
		Cleans and etches cement and concrete floors.	
		cicuis una etenes cement una concrete fioois.	
SPI750MLR	(PROPERTY)	Spirit Of Salts 750ml	1
SPI1L	SPIRITS OF SALTS	Spirit Of Salts 1L	1
SPI5L		Spirit Of Salts 5L	1
SPI25L		Spirit Of Salts 25L	1
3. 1232		Spirit 01 30110 232	
			\dashv

CODE	IMAGE	DEOXIDENE - RUST REMOVER & METAL CLEANER	QTY
	10	is a ready to use phosphoric acid based de-ruster and cleaner that protects and	
		prolongs metal life. Roof sheets and gutters/Metal gates, fences, window and door frames/	
		Structural profiles and steelMetal cleaner before painting	
	POWREIX		
DEO750ML	DEOXIDENE-DE RUSTER	Deoxidene 750ml	1
DEO1L		Deoxidene 1L	1
DEO5L	0	Deoxidene 5L	1
CODE	IMAGE	BRUSH CLEANER	QTY
		is a heavy duty solvent and surfactant based multipurpose cleaner and degreaser.	
		Industrial cleaner and degreaser\Solvent based – fast acting/Cleans oils, epoxies,	
	9	polyurethanes, varnishes, enamels and water based paints	
BRU1L	0.70	Brush Cleaner / Degreaser 1L	1
BRU5L		Brush Cleaner / Degreaser 5L	1
CODE	IMAGE	CAUSTIC SODA/DRAIN CLEANER	QTY
		is a powerful caustic soda based, fat and grease cleaner that is suitable for use with	
		septic tanks. Dissolves fat and oil/Cleans waste discharge pipes.	
CAU500G	POWR-DI	Caustic soda - Tub 500g	1
CAU1KG	DRAIN CLEANER	Caustic soda - Tub 1kg	1
CAU2KG		Caustic soda - Tub 2kg	1
CAU5KG	Table 1884	Caustic soda - Tub 5kg	1
CODE	IMAGE	CRETESTONE	QTY
		Board skim plasters (finishing plaster). • Provides smooth finish to straight and level	
		Board skim plasters (finishing plaster). • Provides smooth finish to straight and level	
11 CRETE2KG	POWREIX	Board skim plasters (finishing plaster). • Provides smooth finish to straight and level Cretestone 2kg	1
11 CRETE2KG 11 CRETE5KG	POURSE AND		1
	WHITE CEMPAT	Cretestone 2kg	
11 CRETE5KG	eport conner Acates of Panil Comman formation (California)	Cretestone 2kg Cretestone 5kg	1
11 CRETE5KG 11 CRETE10KG	WHITE CEMPAT	Cretestone 2kg Cretestone 5kg Cretestone 10kg	1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG	eport conner Acates of Panil Comman formation (California)	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg	1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG	eport conner Acates of Panil Comman formation (California)	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg	1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg	1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg	1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing,	1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing,	1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG CODE	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing, single component and solvent free.	1 1 1 1 QTY
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG CODE 9 80008	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing, single component and solvent free. Display Board (12) 3g	1 1 1 1 QTY
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG CODE 9 80008 9 70009	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing, single component and solvent free. Display Board (12) 3g Superglue MQ 20g	1 1 1 1 QTY 1 1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG CODE 9 80008 9 70009	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing, single component and solvent free. Display Board (12) 3g Superglue MQ 20g	1 1 1 1 QTY 1 1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG CODE 9 80008 9 70009	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing, single component and solvent free. Display Board (12) 3g Superglue MQ 20g	1 1 1 1 QTY 1 1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG CODE 9 80008 9 70009	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing, single component and solvent free. Display Board (12) 3g Superglue MQ 20g	1 1 1 1 QTY 1 1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG CODE 9 80008 9 70009	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing, single component and solvent free. Display Board (12) 3g Superglue MQ 20g	1 1 1 1 QTY 1 1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG CODE 9 80008 9 70009	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing, single component and solvent free. Display Board (12) 3g Superglue MQ 20g	1 1 1 1 QTY 1 1 1 1
11 CRETE5KG 11 CRETE10KG 11 CRETE20KG 11 CRETE40KG CODE 9 80008 9 70009	MONT CLAMBUT A CATE OF PARIS CHIMAN SOURCE TRACETS SOUTCACATORS ARREST SOUTCACATORS ARREST	Cretestone 2kg Cretestone 5kg Cretestone 10kg Cretestone 25kg Cretestone 40kg SUPERGLUE high performance cyanoacrylate instant adhesives are rapid curing, single component and solvent free. Display Board (12) 3g Superglue MQ 20g	1 1 1 1 QTY 1 1 1 1

CODE	IMAGE	UNIKEM CONTACT ADHESIVE	QTY
		is a multi functional adhesive that provides an instant high strength bond between	\top
	1	wood, textiles, PVC, metals, rubber, leather and laminates. Product is easy to use	
		and non drip. Once dried it provides excellent resistance to water and heat.	
	Applies are		
21022	CONTACT ADHESIVE	Unikem Contact Glue 250ml	1
21023		Unikem Contact Glue 500ml	1
21024	POWER STATE ADDRESS OF SLE	Unikem Contact Glue 1L	1
21025	MACHEN CONTROL OF THE PROPERTY	Unikem Contact Genuine 5L	1
CODE	IMAGE	UNIKEM WOODGLUE	QTY
	<u> </u>	is an adhesive used to tightly bond pieces of wood together.	
21 031	SOLD SOLD SOLD SOLD SOLD SOLD SOLD SOLD	Unikem Woodglue 250ml	1
21 032		Unikem Woodglue 500ml	1
CODE	IMAGE	PRATLEY ADHESIVES	QTY
		Brand leading adhesive manufacturer since 1948. Pratley manufactures and distributes ultra-	
	WENCH	high performace DIY and industrial adhesives world-wide.	
640 001	Se	Standard Putty 125g	1
640 007	PRATLEY	Standard Putty 2kg	1
640 000	PULL	Quickset Putty 125g	1
640 008		Steel Putty 125g	1
640 002		Quickset Clear 40ml	1
640 003	Siterior	Quickset White 40ml	1
640 005	DRATLEY 13	Quickset Steel 40ml	1
640 004	STERES	Quickset 1-2-3 15ml	1
640 010		Safety Cleaner Aerosol Can 200gr	1
640 006		Wondafix 30ml	1
CODE	IMAGE	SANITISERS	QTY
0052		Alcohol-based versions typically contain some combination of isopropyl alcohol,	1
 	4		
		ethanol (ethyl alcohol) or n-propanol, with 70% alcohol. Alcohol-based hand capitizer	
		ethanol (ethyl alcohol),or n-propanol, with 70% alcohol. Alcohol-based hand sanitizer	
		works against a wide variety of microorganisms but not spores.	
		works against a wide variety of microorganisms but not spores. Compounds such as glycerol is added to prevent drying of the skin.	
		works against a wide variety of microorganisms but not spores.	
FT5001 SAN		works against a wide variety of microorganisms but not spores. Compounds such as glycerol is added to prevent drying of the skin. SANITIZER LIQUID SPRAY	1
FT500LSAN ST500LSAN		works against a wide variety of microorganisms but not spores. Compounds such as glycerol is added to prevent drying of the skin. SANITIZER LIQUID SPRAY 500ml FLIPTOP	1 1
ST500LSAN		works against a wide variety of microorganisms but not spores. Compounds such as glycerol is added to prevent drying of the skin. SANITIZER LIQUID SPRAY 500ml FLIPTOP 500ml SPRAYTOP	1
ST500LSAN FT1LSAN		SANITIZER LIQUID SPRAY 500ml FLIPTOP 1lt FLIPTOP	1
ST500LSAN FT1LSAN ST1LSAN		works against a wide variety of microorganisms but not spores. Compounds such as glycerol is added to prevent drying of the skin. SANITIZER LIQUID SPRAY 500ml FLIPTOP 500ml SPRAYTOP 1lt FLIPTOP 1lt SPRAYTOP	1 1 1
ST500LSAN FT1LSAN ST1LSAN CAN5LTLSAN		SANITIZER LIQUID SPRAY 500ml FLIPTOP 1lt FLIPTOP 1lt SPRAYTOP 5LT	1 1 1
ST500LSAN FT1LSAN ST1LSAN		works against a wide variety of microorganisms but not spores. Compounds such as glycerol is added to prevent drying of the skin. SANITIZER LIQUID SPRAY 500ml FLIPTOP 500ml SPRAYTOP 1lt FLIPTOP 1lt SPRAYTOP	1 1 1
ST500LSAN FT1LSAN ST1LSAN CAN5LTLSAN		SANITIZER LIQUID SPRAY 500ml FLIPTOP 1lt FLIPTOP 1lt SPRAYTOP 5LT	1 1 1
ST500LSAN FT1LSAN ST1LSAN CAN5LTLSAN		SANITIZER LIQUID SPRAY 500ml FLIPTOP 1lt FLIPTOP 1lt SPRAYTOP 5LT	1 1 1
ST500LSAN FT1LSAN ST1LSAN CAN5LTLSAN		SANITIZER LIQUID SPRAY 500ml FLIPTOP 1lt FLIPTOP 1lt SPRAYTOP 5LT	1 1 1

CODE	IMAGE	SANITISERS	QTY
		SANITIZER GEL	
FT85GSAN		85ml	1
FT210GSAN		210ml	1
FT500GSAN		500ml	1
FT1GSAN		1lt	1
CAN5LTGSAN		5lt	1
CAN25LTGSAN		25lt	1
		SANITIZER WATERBASE	
	一百夏		
ST500WBSAN		500ml	1
ST1LWBSAN		1lt	1
CAN5WBSAN		5lt	1
CAN25WBSAN		25lt	1
CODE	IMAGE	SANITISER MACHINES	QTY
		All stands include an empty 1 Litre bottle and gel pump or atomiser spray	
FSBW1		Free Standing - Black or White	1
WMBW1		Wall Mounted - Black or White	1
FSKSBW1		Kiddies Stand - Black or White	1
WMKSBW1		Kiddies Stand - Wall Mounted Black or White	1
FSSS1		Free Standing - Stainless Steel	1
WMSS1		Wall Mounted Stainless Steel	1
	Account to the second		

Terms and Conditions:

All prices CAN change without prior notice and effective immediately.

Photos used are for reference purposes and does not always reflect the exact products.

No early settlement discounts are allowed.

No correctly supplied products are returnable unless discussed and agreed to by management and will carry a 10% handling fee. Courier fees will be for your account on agreed returned goods. Courtesy delivery for orders above R3000.00 nation-wide.

All prices are excluding vat.

If products are not listed that you require, please contact us for a quotation.